GALLATIN PIKE IMPROVEMENT DISTRICT

Specific Plan



As adopted by the Metropolitan Council in: BL2007-1523, July 17, 2007 Substitute BL2008-198, August 19, 2008 Amendment BL2009-476, July 21, 2009 Amendment BL2010-736, October 5, 2010

THIS PAGE INTENTIONALLY LEFT BLANK

Table of Contents

I.	Intent of the Plan and Goals	4
II.	How to Use this Plan A. General Provisions B. Application of Guidelines, Standards and Regulations 1. When do the guidelines, standards, and regulations apply? 2. Land uses and bulk regulations 3. Requests that do not meet the standards of the specific plan 4. Historic buildings 5. Civic uses	5 7 8 8
III.	Site Description	11
IV.	Subdistrict 1 A. Development Guidelines B. System Regulations 1. Transportation, Parking & Access 2. Streetscape 3. Signage 4. Landscaping and Buffering C. Building Standards D. Land Uses	15 17
V.	A. Development Guidelines	25 27
VI.	Subdistrict 3 A. Development Guidelines B. System Regulations 1. Transportation, Parking & Access 2. Streetscape 3. Signage 4. Landscaping and Buffering C. Building Standards D. Land Uses	34 36
Append Append	Signage Standards dix I. East Bank Redevelopment District Land Use Policies dix II. Five Points Redevelopment District Land Use Policies dix III. Permitted Land Uses for Specific Properties Within the SP dix IV. List of MUL Uses Permitted within the SP	44 47

I. Intent of the Plan and Goals

The Specific Plan (SP) District is a zoning district that is intended to implement the contextsensitive design and land use compatibility provisions of the General Plan. This SP encompasses all parcels of land that abut either side of Main Street / Gallatin Pike, from South 5th Street to the south side of Briley Parkway, except for those parcels located within the Institutional Overlay for the Nashville Auto Diesel College and Planned Unit Developments adopted pursuant to BL2003-82 and BL2005-881. The land use policies vary along this corridor, and the SP district standards are guided by the land use policies adopted for each segment of the corridor. Development standards have been created for various issues including building design and placement, signage, parking and access, landscaping, and land use restrictions.

The goals for this Specific Plan originated from the district Metro Councilmembers who represent the areas through which Main Street and Gallatin Pike pass. Those goals served as the guiding principles in the development of the general standards contained within this document.

The goals of this Specific Plan are as follows:

- To reduce visual clutter from signage along the corridor.
- To improve the aesthetics and economic viability of the corridor by using zoning to discourage land uses perceived to have a negative impact on the surrounding community.
- To minimize the impact of parking facilities within the district.

- To encourage walking, cycling, and transit as viable transportation options, by providing a mix of uses and promoting construction of a system of sidewalks and transit shelters.
- To provide parking for those who live, work, and shop in the district in a manner that does not dominate the street and is sensitive to the pedestrian environment.
- To soften the visual impact of new development and provide a greater level of comfort for pedestrians.
- To provide for the daily needs of residents and visitors by providing pedestrian friendly neighborhood centers in strategic locations along the corridor.

II. How to Use this Plan

A. General Provisions

This document establishes the land use and design standards for the properties contained within the Main Street/Gallatin Pike SP. The SP district is divided into three separate subdistricts that reflect the context of each section. Within each subdistrict, the following elements are present:

- Development guidelines used to explain the design intent of the SP district. Future development is intended to be consistent with the development guidelines, but they are not regulatory in nature.
- System regulations address"systems" within the SP district (transportation, parking, and access; streetscape; signage; and landscaping and buffering) to ensure consistent development within each subdistrict. For each subdistrict, system goals and objectives are provided for each system category. The goals describe the intent of the SP for each system within the subdistrict and the objectives provide the framework to achieve the goals. The objectives are regulatory and all future development within the SP district must be consistent with the system objectives for the subdistrict where it is located.
- Building standards specify standards for height, physical configuration, and design characteristics that are required for new buildings constructed within the SP district. While many different building types would be appropriate within each subdistrict, there are requirements that all new buildings within the SP district must meet. The standards are presented

- through text, graphic representations, and photographic examples of buildings consistent with the standards. These standards are regulatory and all future buildings within the SP must be consistent with them.
- Land Uses set out the permitted land uses and special excluded land uses for each subdistrict. In general, the permitted land uses for each subdistrict are those found within the applicable Community Plan adopted by the Metro Planning Commission, including any Detailed Neighborhood Design Plan that may apply. The permitted and excluded land uses are regulatory and all future development within the SP district must be consistent with them.
- Signage standards In addition to the specific requirements for each subdistrict, general sign standards are provided in a separate section. The sign standards are regulatory and all future development within any portion of the SP must be consistent with them.

All provisions described above as regulatory in nature have the same force and effect as, but are variations from, the standards set forth for the base zone districts in the zoning regulations of the Metro Code. Any final development construction plans submitted for approval under the SP will be reviewed for adherence to these provisions.

Final site plans shall be submitted in the future for any development within the boundary of the SP. Final site plans shall consist of a detailed set of construction plans that fully demonstrate compliance with the SP and shall specifically describe the nature and scope of development to serve as the basis for the issuance of permits by the Codes Department and all other applicable Metro departments.

Prior to applying for a building permit, applicants shall submit to the Planning Department four complete sets of final construction documents, including site plan and landscape plan, for review and approval prior to the issuance of permits.

Applicants are encouraged to work with Planning staff early in the design and development process. Where obvious physical constraints exist on a site within the SP, planning staff will review alternative design solutions as they relate to the intent of the SP for that subdistrict. Where a single use or function spans more than one sub-district, planning staff will explore with the applicant alternative solutions that achieve the design intent of the SP.

B. Application of Guidelines, Standards, and Regulations

1. When do the guidelines, standards, and regulations apply?

The Gallatin Pike Improvement District SP does not apply to all building permits; however, it does apply to all sign permits. The SP allows for property owners to utilize existing nonconforming structures, but new construction, generally, shall meet all the provisions of this SP.

- A. Full compliance with all the SP provisions shall be required as follows:
 - i. New Construction All new construction. When an existing nonconforming freestanding structure on property with multiple structures is being demolished only the new structure shall be in compliance with this SP in terms of placement of the new building. When a portion of an existing nonconforming structure is being demolished then the replacement structure shall bring the overall structure more into compliance with this SP.
 - ii. Expansion –A single expansion increases the gross floor area by twenty-five percent or more, or multiple expansions over any five-year period increases the gross floor area for all structures on a property by fifty percent or more of the total gross floor area of all improvements on the property prior to expansion.
 - iii. Damage or Destruction –Damage of a nonconforming structure leaves fifty percent or more of a structure uninhabitable.
- B. Compliance with Standards 1.1, 4.1, 4.2, 4.3 and 4.4 of the system regulations is required for minor expansions provided that:

- i. A single expansion or multiple expansions are less than twenty-five percent of the total gross floor area of all improvements on the property prior to July 17, 2007.
- ii. The expansion is not on the front of a structure, unless the proposed expansion would bring the structure more into compliance with the guidelines, regulations and standards of this SP.
- C. Compliance with the SP provisions *is not* required for the utilization of existing nonconforming structures provided there is no expansion. While this SP does allow property with existing nonconforming structures to be utilized, the reuse of the property must meet the following standards:
 - i. Use All proposed uses must be permitted as specified in Section D. for each Subdistrict. If the Zoning Administrator determines that a use is legally nonconforming as specified by 17.40.650 of the Metro Zoning Code then the use shall be permitted.
 - ii. Parking Parking shall meet the minimum requirements of Section 17.20 of the Metro Zoning Code. In instances where the minimum parking requirements cannot be met then planning staff under the direction of the Executive Director of the Planning Department may permit adequate alternatives.
- D. All signage shall require a sign permit. The signage standards contained in this SP shall apply to all sign-related permits.

If a nonconforming sign is damaged, however, the issuance of a permit for repairs to the sign to restore the sign to its pre-damage condition shall not require compliance with the standards contained in this SP.

2. Land uses and bulk regulations

The permitted and excluded land uses contained in Section D for each subdistrict contained herein shall apply to all properties located within the SP district upon adoption of this SP ordinance by the Metro Council. The bulk regulations for all properties located within the SP district shall be determined by reference to the zone districts included in the table in Section D for each subdistrict.

3. Requests that do not meet the standards of this specific plan

Any variations from System Regulations or Building Standards that meet the intent of this document may be approved by the Executive Director of the Planning Department. Any variations or requested changes to the System Regulations or Building Standards that do not meet the intent of this document must be approved by Metro Council.

To the extent that the provisions of this SP are inconsistent or in conflict with the provisions of any Planned Unit Development that is within the boundaries of this SP, the provisions of this SP shall be controlling.

In this SP district, an existing nonconforming use may be changed to a new nonconforming use upon a determination by the Metro Planning Commission that the new nonconforming use will be more compatible with surrounding land uses than the existing nonconforming use.

4. Historic buildings

The requirements of this SP shall not apply to any property identified by the Metropolitan Historical Commission as either listed or eligible for listing on the National Register of Historic Places, to the extent that said requirements are determined by the Metro Historic Zoning Commission staff to be contrary to preservation of the historic character of a property. All Development Guidelines, System Regulations, Building Standards, and Signage Standards that are not determined by the Metro Historic Zoning Commission staff to be contrary to preservation of the historic character of the property shall remain in force as with any other property included within the boundaries of the SP district.

5. Civic uses

Civic buildings such as community and public facilities play an important role along the Gallatin Pike corridor. A civic building is a building used for purposes that are public in nature. For purposes of this SP district, a "civic building" shall include:

- schools
- libraries
- other government buildings, and
- religious and institutional uses.

Civic buildings may also include special public/ private partnership projects intended to serve a public function.

Civic buildings should act as community landmarks utilizing key sites and designed to provide architectural emphasis through materials, massing and detail. It is expected that the scale and architectural sophistication of these buildings will match their civic importance. Therefore, to achieve the intended character reflective of civic buildings, such buildings shall not be required to adhere to the Building Standards contained in this SP district. Where possible, civic buildings shall be located and designed to terminate vistas or serve as key focal points in the neighborhood. Civic buildings should be of sufficient design quality to create visual anchors for the community. The front elevations of civic buildings and the massing should emphasize the human scale and the pedestrian environment.

All other standards of this Specific Plan not in conflict with this section shall apply to Civic buildings.

Any new civic building must meet the following Civic Building Standards to the greatest degree practical.

For any addition to a civic building where the total building square footage of any one expansion is twenty-five percent, or the total building square footage of multiple expansions during any five-year period is fifty percent of the total building square footage of all improvements on the lot prior to expansion, such expansion must meet the following Civic Building Standards to the greatest degree practical and any such alteration shall work toward achievement of these standards.

Civic Building Standards

- a. Civic buildings shall be built so that they either terminate a street vista or are located at intersections or other prominent focal point.
- b. Except for the presence of unique or anomalous lot configurations, civic

- buildings shall engage the principal facade with the sidewalk and public space of the street. Generally, building and street facades must extend parallel to frontage property lines.
- c. The front elevations facing the street and the overall massing shall emphasize the pedestrian environment.
- d. The primary building entrance shall face and provide direct access to Gallatin Pike.
- e. Civic Buildings shall be located to be the predominant on-site use with any on-site parking secondary to and located beside or behind the building at locations screened or otherwise designed so as not to detract from the design and impression of the civic building from the street.
 - i. Civic buildings shall not be set back on the lot behind a standard parking lot; however, a plaza may be used for occasional parking and front-ofbuilding drop-off.
 - ii. A garden wall, fence, or hedge (min. 3' in height) shall be installed along any street frontage adjacent to parking areas.
- f. Buildings shall be compatible in size and scale with adjacent residential buildings.
- g. Hedges, garden walls, or fences may be built on property lines or as the continuation of building walls.
- h. Mechanical equipment at ground level shall be screened from view on the street by an opaque screen.

THIS PAGE INTENTIONALLY LEFT BLANK

III. Site Description

The Main Street/Gallatin Pike Specific Plan is located along the corridor of Main Street and Gallatin Pike from its intersection with South 5th Street on the southern end, to the south side of Briley Parkway on the northern end. Every parcel of land with any frontage along this street is included within the SP plan, except for those parcels located within the Instituational Overlay for the Nashville Auto Diesel College and Planned Unit Developments adopted pursuant to BL2003-82 and BL2005-881. The properties subject to this SP zoning district are those parcels or portions of parcels, consisting of approximately 266 acres, shown in the shaded area on the maps attached hereto as Exhibits 1 through 3. The SP is located entirely within Davidson County's East Nashville and Madison Community Plan area. The corridor currently consists of a wide variety of development, ranging from single-family homes and offices in converted houses, to large retail stores.

Because the character of the corridor changes as one travels along it, the SP has been divided into three separate subdistricts to reflect the context of each section. The subdistricts are:

- 1. South 5th Street to Douglas Avenue;
- 2. Chester Avenue to Inglewood railroad overpass;
- 3. Inglewood railroad overpass to Briley Parkway



600 Main Street



2400 block Gallatin Avenue, looking north



3400 block Gallatin Pike, looking north


Exhibit 1
Subdistrict 1: Properties Included



Exhibit 2 Subdistrict 2: Properties Included



Exhibit 3
Subdistrict 3: Properties Included



IV. Subdistrict 1




Wall mounted building signs provide information at a pedestrian scale.

South 5th Street to Douglas Avenue

A. Development Guidelines

These development guidelines describe development scenarios that utilize the standards found elsewhere in this document. The development guidelines should be reviewed as a guide for appropriate building placement, parking arrangement, signage, landscaping, and street design. The development guidelines were created with traditional planning principles to provide a more walkable, integrated community with a true sense of place. To create this integrated community with a unique sense of place, new development must embrace the following basic principles within Subdistrict 1:

- Encourage meaningful transportation options, with priority for transit and pedestrians
- Provide vehicular access from side streets and alleys to minimize conflict points
- Provide on street parking, as approved by Metro Public Works
- Locate off street parking behind buildings and screened from public view if it must be placed beside buildings
- Encourage development with shallow to nonexistent setbacks pedestrian oriented
- Create an urban streetscape with wide sidewalks, bulb-outs where appropriate, formal street trees, building entrances that face the street, underground utilities, and formal street furniture
- Provide pedestrian scale lighting
- Encourage a mixture of uses as guided by the Detailed Land Use Policies included in the East Nashville Community Plan.



B. System Regulations

1. Transportation, Parking & Access

Goal: To encourage meaningful transportation options, with a priority for pedestrians, bicyclists, and transit.

Standards:

- 1.1 Vehicular access to lots shall be from side streets and alleys, where available.
- 1.2 All new development shall provide cross access for parking and circulation to minimize conflict points.
- 1.3 Provide on-street parking with any new street improvements, as approved by Metro Public Works.
- 1.4 Locate off street parking behind buildings, or screen from public view if it must be placed beside buildings.

2. Streetscape

Goal: To create a streetscape that provides an attractive and safe environment for all users, with an emphasis on pedestrians.

Standards:

- 2.1 Provide an urban streetscape with wide sidewalks and bulb-outs where approved by Metro Public Works.
- 2.2 Accommodate transit with the addition of bus shelters and other improvements.
- 2.3 Locate utilities underground or along alleys behind buildings.
- 2.4 Add formal street tree plantings and formal street furniture such as trash receptacles and benches.

- 2.5 Use lighting that serves both pedestrians and vehicles.
- 2.6 Locate and/or screen utility boxes from public view whenever possible.

3. Signage

Goal: To assist those who live, work, and shop within the SP area in finding destinations, while preventing visual clutter that threatens traffic safety and is harmful to the appearance of the community.

Standards:

- 3.1 All signs must be building-mounted and pedestrian scale. Monument signs that comply with Section VII "Signage Standards" may be used if 1) a minimum of 60% of the total building frontage along Gallatin Pike is set back 100 or more feet from the property boundary along the right of way, and 2) there is a pre-existing pole sign or other prohibited sign on the property that will be replaced with the monument sign.
- 3.2 Place and illuminate signs in a manner that is appropriate for promoting a pedestrian environment. No back lit, or internally lit signs.
- 3.3 When possible, design signs as an integral part of the overall building design rather than as add-ons to the building.
- 3.4 Construct signs with durable materials that are easy to maintain.



Landscaping provides visual relief in urban settings.

4. Landscaping and Buffering

Goal: To soften the visual impact of new development and provide a greater level of comfort for pedestrians.

Objectives:

- 4.1 Screen parking areas where they face a public street to minimize the visual impact of parked vehicles.
- 4.2 Screen utilities, meter boxes, heating and cooling units, and other building systems that are visible from public streets.
- 4.3 Plant street trees to soften architecture and provide shade and comfort to pedestrians.
- 4.4 Fences and walls in front of buildings must be constructed of wood, brick, masonry, vinyl, ornamental iron or aluminum, or similar materials in a manner that complements the primary building's materials and design and may not exceed a height of four (4) feet. No chain link fencing shall be permitted in front of any building.



Example of new development with appropriate massing and scale.



Example of big box retail conforming to appropriate urban design standards.

C. Building Standards

Subdistrict 1 is intended to promote a boulevardstyle corridor with shallow to non-existent setbacks and building scale that reflects the urban context of the area and to provide for the daily needs of residents by offering pedestrian friendly neighborhood centers in strategic locations.

Building Regulations

These Building Regulations specify the types of development that are generally appropriate throughout Subdistrict 1. Concepts such as "Floor Area Ratio" used in the standard Zoning Code are replaced with height, setback, building placement, and massing requirements. Other specific standards are also included to provide a means of guiding the intensity of development intended within each area. Any new development within Subdistrict 1 must utilize the Building Regulations to determine the appropriate height, physical configuration, and design characteristics of buildings in the subdistrict.

Any variations from these Building Regulations that meet the intent of this document may be approved by the Metro Planning staff. Any variations or requested changes to the Building Regulations that do not meet the intent of this document must be approved by Metro Council.

BUILDING REGULATIONS: Subdistrict 1.

· Setbacks.

Commercial-

Front: 0' min. - 5' max. (Additional setbacks may be required to accommodate outdoor dining, adequate pedestrian buffers, and wide sidewalks).

Rear: 20' min.

Side: 0' min. for primary structures. **Side Street:** 0' min. - 15' max; 6' min. for

parking along side streets.

Residential-

Front: 5' min. - 10' max.

Rear: 20' min.

Side: 5' min. for primary structures. **Side Street:** 0' min. - 15' max; 6' min. for parking along side streets.

• Height

- 20' min. (14' min. first floor.) - Six Stories max. One story buildings permitted as long as facade facing Gallatin Pike appears to be two stories.

Massing and Scale

- A primary pedestrian/ customer entrance shall be located along Gallatin Rd.

Minimum glazing requirement of 50 percent for 1st story, and 25 percent for all other stories. Facades greater than 100 feet in length shall incorporate recesses and projections a min. of three feet in depth and a min. of 20 contiguous feet within each 100 feet of facade length.

Streetscape


- Street trees, on street parking where permitted, street furniture, etc.

• Signage

- Building Sign - Projecting; Building Sign - Wall Mounted; Awning Sign; Monument sign, if permitted in paragraph 3.1 of the System Regulations. (See "Signage Standards" for additional signage regulations.)


• Exterior Building Materials

- Not Permitted- All Plastics; Plywood; Unfinished Concrete Blocks; Metal.






Mixed-use buildings with outdoor dining contributes to the quality of public space.



Well defined entrances, appropriate window glazing, and pedestrian scaled lighting combine to create a walkability community.



Note: Building regulations are consistant with the general parameters for arterial thoroughfares as outlined in *Context Sensitive Solutions in Designing Major Urban Thoroughfares for Walkable Communities.*

D. Land Uses

Unless specifically excluded here, the permitted land uses include only those listed in the land use policies found in the MDHA East Bank and Five Points Redevelopment Districts, where applicable.

In areas not regulated by an MDHA redevelopment plan and unless specifically excluded here, the land uses permitted in Subdistrict 1 shall be determined by reference to the zone districts listed in Table 1, below. The land use areas listed in Table 1 are those shown on the Land Use Category Map for Subdistrict 1 that is included in this Specific Plan.

Table 1

Subdistrict 1 Land Use Category	Zone Districts for Land Use Purposes
Community Center	n/a - all areas are included within MDHA
	redevelopment plan
Parks Reserve and Other Open Space	n/a -all Metro owned school property
Civic or Public Benefit	n/a - all areas are included within MDHA
	redevelopment plan
Mixed Use	MUL*
Neighborhood General	R6

^{*}Animal Boarding Facilities may be permitted in the Mixed Use Land Use Category designated with * (See Land Use Category Map for Subdistrict 1) if the following conditions are met:

- 1.Setback. No part of any building or structure in which animals are housed shall be closer than two hundred feet, and no kennel run shall be located within one hundred feet, from any existing residence.
- 2.Building Temperature. Enclosures must be provided which shall allow adequate protection against weather extremes. Floors of buildings, runs and walls shall be of an impervious material to permit proper cleaning and disinfecting.
- 3.Cages. Each animal boarded at the facility shall have sufficient space to stand up, lie down and turn around without touching the sides or top of cages. Cages are to be of material and construction that permits cleaning and sanitizing. Cage floors of concrete, unless radiantly heated, shall have a resting board or some type of bedding.
- 4.Runs. Each run must have at least a six-foot high fence completely surrounding it. Fences must be maintained in escape-proof condition. Runs shall provide an adequate exercise area and protection from the weather. All animal quarters and runs are to be kept clean, dry and in a sanitary condition.

5. Watering of Animals. All animals shall have fresh water available at all times. Water vessels shall be mounted or secured in a manner that prevents tipping and shall be of the removable type.

6.On-Site Waste Collection. All on-site waste shall be housed either within the kennel building or an accessory structure, and all waste shall be disposed of in a sanitary fashion no less frequently than one time per week. The drainage of all liquid by-products shall be discharged into a permitted sanitary sewer line or septic tank and shall not be disposed of by way of storm sewers, creeks, streams or rivers.

7.Modifications to the Conditions. The Planning Commission may modify the conditions above if the proposed modification is consistent with the principles and further the objectives of the Gallatin Pike SP.

For the purposes of establishing bulk regulations for development that does not require application of the development guidelines, system regulations, and building standards contained in this SP district, the MUG zoning district shall apply to all areas designated as Community Center.

Excluded Uses

Notwithstanding any other provision in this SP, the following uses are expressly prohibited within the boundaries of Subdistrict 1:

- Adult bookstore
- Adult video store
- Heavy equipment sales and service
- Laundry plant
- Light manufacturing
- Mobile storage unit
- Automobile sales, new
- Automobile sales, used
- Automobile service
- Automobile repair
- Automobile parking (except as necessary for a land use permitted under this SP)
- Nonresidential drug treatment facility
- Pawn shops
- Temporary labor hall
- Title loan
- Warehouse

- Scrap operation
- Landfill, construction/demolition
- Landfill, sanitary
- Wrecker service
- Mobile home dwelling
- Correctional facility
- Carpet cleaning
- Major appliance repair
- Radio/satellite/TV tower
- Satellite dish
- Telephone services
- Power plant
- Reservoir/water tank
- Water/sewer pump station
- Racetrack
- Check Cashing
- Cash Advance

E. Standards not Specifically Included in this SP

In addition, for any development standards, regulations and requirements not specifically shown on the SP plan and/or included as a condition of Commission or Council approval, the standard Zoning Code requirements of the district listed in Table 1 shall apply in Subdistrict 1.

V. Subdistrict 2




Planting beds between the sidewalk and street provide an additional level of comfort to pedestrians.

Chester Ave. to Inglewood Railroad Overpass A. Development Guidelines

These development guidelines describe development scenarios that utilize the standards found elsewhere in this document. The development guidelines should be reviewed as a guide for appropriate building placement, parking arrangement, signage, landscaping, and street design. The development guidelines were created with traditional planning principles to provide a more walkable, integrated community with a true sense of place. To create this integrated community with a unique sense of place, new development must embrace the following basic principles within Subdistrict 2:

- Encourage meaningful transportation options, with priority for transit and pedestrians
- Provide vehicular access from joint access points, side streets and alleys to minimize conflict points
- Allow selective on street parking, as approved by Metro Public Works
- Locate off street parking behind buildings and screened from public view if it must be placed beside buildings
- Encourage development with shallow to nonexistent setbacks pedestrian oriented
- Create an urban streetscape with wide sidewalks, bulb-outs, formal street trees, building entrances that face the street, underground utilities, and formal street furniture
- Provide pedestrian scale lighting
- Encourage a mixture of uses as guided by the Detailed Land Use Policies included in the East Nashville Community Plan.



B. System Regulations

1. Transportation, Parking & Access

Goal: To encourage meaningful transportation options, with a priority for pedestrians, bicyclists, and transit.

Standards:

- 1.1 Vehicular access to lots shall be from joint access points, side streets and alleys to minimize conflict points.
- 1.2 With all new development, provide cross access for parking and circulation.
- 1.3 Provide on-street parking in selective locations, as approved by Metro Public Works.
- 1.4 Locate off street parking behind buildings, or screen from public view if it must be placed beside buildings.

2. Streetscape

Goal: To create a streetscape that provides an attractive and safe environment for all users, with an emphasis on comfort of pedestrians.

Standards:

- 2.1 Provide an urban streetscape with wide sidewalks and bulb-outs where approved by Metro Public Works.
- 2.2 Accommodate transit with the addition of bus shelters and other improvements.
- 2.3 Locate utilities underground or along alleys behind buildings.
- 2.4 Add formal street tree plantings and formal street furniture such as trash receptacles and benches.

- 2.5 Use pedestrian scale lighting.
- 2.6 Locate and/or screen utility boxes from public view whenever possible.

3. Signage

Goal: To assist those who live, work, and shop within the SP area in finding destinations, while preventing visual clutter that threatens traffic safety and is harmful to the appearance of the community.

Standards:

- 3.1 All signs must be building-mounted and pedestrian scale. Monument signs that comply with Section VII "Signage Standards" may be used if 1) a minimum of 60% of the total building frontage along Gallatin Pike is set back 100 or more feet from the property boundary along the right of way, and 2) there is a pre-existing pole sign or other prohibited sign on the property that will be replaced with the monument sign.
- 3.2 Place and illuminate signs in a manner that is appropriate for promoting a pedestrian environment. No back lit, or internally lit signs.
- 3.3 When possible, design signs as an integral part of the overall building design rather than as add-ons to the building.
- 3.4 Construct signs with durable materials that are easy to maintain.

4. Landscaping and Buffering

Goal: To soften the visual impact of new development and provide a greater level of comfort for pedestrians.

Standards:

- 4.1 Screen parking areas where they face a public street to minimize the visual impact of parked vehicles.
- 4.2 Screen utilities, meter boxes, heating and cooling units, and other building systems that are visible from public streets.
- 4.3 Plant street trees to soften architecture and provide shade and comfort to pedestrians.
- 4.4 Fences and walls in front of buildings must be constructed of wood, brick, masonry, vinyl, ornamental iron or aluminum, or similar materials in a manner that compliments the primary building's materials and design and may not exceed a height of four (4) feet. No chain link fencing shall be permitted in front of any building.



Pedestrian scaled lighting and on-street parking enhance the pedestrian experience.



Consistant building setbacks define the public realm.

C. Building Standards

Subdistrict 2 is intended to promote a boulevardstyle corridor with shallow to non-existent setbacks and building scale that reflect the urban context of the area and to provide for the daily needs of residents and visitors by providing pedestrian friendly neighborhood centers in strategic locations.

Building Regulations

These Building Regulations specify the types of development that are generally appropriate throughout Subdistrict 2. Concepts such as "Floor Area Ratio" used in the standard Zoning Code are replaced with height, setback, building placement, and massing requirements. Other specific standards are also included to provide a means of guiding the intensity of development intended within each area. Any new development within Subdistrict 2 must utilize the Building Regulations to determine the appropriate height, physical configuration, and design characteristics of buildings in the subdistrict.

BUILDING REGULATIONS: Subdistrict 2.

· Setbacks.

Commercial-

Front: 0' min.- 5' max. (Additional setbacks may be required to accommodate outdoor dining, adequate pedestrian buffers, and wide sidewalks.)

Rear: 20' min.

Side: 0' min. for primary structures. **Side Street:** 0' min. - 15' max; 6' min. for parking along side streets.

Residential-

Front: 5' min.- 10' max.

Rear: 20' min.

Side: 5' min. for primary structures. **Side Street:** 0' min. - 15' max; 6' min. for

parking along side streets.

• Height

- 20' min. (14' min. first floor.) - Six Stories max. One story buildings permitted as long as facade facing Gallatin Pike appears to be two stories.

· Massing and Scale

- A primary pedestrian/ customer entrance shall be located along Gallatin Rd.
Minimum glazing requirement of 50 percent for 1st story, and 25 percent for all other stories. Facades greater than 100 feet in length shall incorporate recesses and projections a min. of three feet in depth and a min. of 20 contiguous feet within each 100 feet of facade length.

• Streetscape


- Street trees, on street parking where permitted, street furniture, etc.

Signage

- Building Sign - Projecting; Building Sign - Wall Mounted; Awning Sign; Monument sign, if permitted in paragraph 3.1 of the System Regulations. (See "Signage Standards" for additional signage regulation.)

Exterior Building Materials

- Not Permitted- All Plastics; Plywood; Unfinished Concrete Blocks; Metal.






Residential development has slightly deeper setbacks to help seperate the public and private realm.



Continuous awnings provide pedesrians with protection from the elements.



Note: Building regulations are consistant with the general parameters for arterial thoroughfares as outlined in *Context Sensitive Solutions in Designing Major Urban Thoroughfares for Walkable Communities*.

D. Land Uses

Except as specifically excluded herein or as specifically permitted in Appendix III of this SP, the land uses permitted in Subdistrict 2 shall be determined by reference to the zone districts listed in Table 2, below. The land use areas listed in Table 2 are those shown on the Land Use Category Map for Subdistrict 2 that is included in this Specific Plan.

Table 2

Subdistrict 2 Land Use Category	Zone Districts for Land Use Purposes
Mixed Use	MUL*
Single-Family Detached	RS5

^{*}Animal Boarding Facilities may be permitted in the Mixed Use Land Use Category designated with * (See Land Use Category Map for Subdistrict 2) if the following conditions are met:

- 1.Setback. No part of any building or structure in which animals are housed shall be closer than two hundred feet, and no kennel run shall be located within one hundred feet, from any existing residence.
- 2.Building Temperature. Enclosures must be provided which shall allow adequate protection against weather extremes. Floors of buildings, runs and walls shall be of an impervious material to permit proper cleaning and disinfecting.
- 3. Cages. Each animal boarded at the facility shall have sufficient space to stand up, lie down and turn around without touching the sides or top of cages. Cages are to be of material and construction that permits cleaning and sanitizing. Cage floors of concrete, unless radiantly heated, shall have a resting board or some type of bedding.
- 4.Runs. Each run must have at least a six-foot high fence completely surrounding it. Fences must be maintained in escape-proof condition. Runs shall provide an adequate exercise area and protection from the weather. All animal quarters and runs are to be kept clean, dry and in a sanitary condition.
- 5. Watering of Animals. All animals shall have fresh water available at all times. Water vessels shall be mounted or secured in a manner that prevents tipping and shall be of the removable type.
- 6.On-Site Waste Collection. All on-site waste shall be housed either within the kennel building or an accessory structure, and all waste shall be disposed of in a sanitary fashion no less frequently than one time per week. The drainage of all liquid by-products shall be discharged into a permitted sanitary sewer line or septic tank and shall not be disposed of by way of storm sewers, creeks, streams or rivers.
- 7.Modifications to the Conditions. The Planning Commission may modify the conditions above if the proposed modification is consistent with the principles and further the objectives of the Gallatin Pike SP.

Excluded Uses

Notwithstanding any other provision in this SP, the following uses are expressly prohibited within the boundaries of Subdistrict 2:

- Adult video store
 Heavy equipment sales and service
 Laundry plant
 Light manufacturing
- Mobile storage unit Automobile sales, new

Adult bookstore

- Automobile sales, usedAutomobile service
- Automobile repair
 Automobile parking (except as necessary for a land use permitted under this SP)
- Nonresidential drug treatment facility
- Pawn shops
- Temporary labor hall
- Title loan
- Warehouse

- Scrap operation
- Landfill, construction/demolition
- Landfill, sanitary
- Wrecker service
- Mobile home dwelling
- Correctional facility
- Carpet cleaning
- Major appliance repair
- Radio/satellite/TV tower
- Satellite dish
- Telephone services
- Power plant
- Reservoir/water tank
- Water/sewer pump station
- Racetrack
- Check Cashing
- Cash Advance

E. Standards not Specifically Included in this SP


In addition, for any development standards, regulations and requirements not specifically shown on the SP plan and/or included as a condition of Commission or Council approval, the standard Zoning Code requirements of the district listed in Table 2 shall apply in Subdistrict 2.

VI. Subdistrict 3

Inglewood Railroad Overpass to Briley Prkwy A. Development Guidelines

These development guidelines describe development scenarios that utilize the standards found elsewhere in this document. The development guidelines should be reviewed as a guide for appropriate building placement, parking arrangement, signage, landscaping, and street design. The development guidelines were created with traditional planning principles to provide a more walkable, integrated community with a true sense of place. To create this integrated community with a unique sense of place, new development must embrace the following basic principles within Subdistrict 3:

- Encourage all meaningful transportation options
- Provide vehicular access from joint access points to minimize conflict points
- Include planted medians to limit vehicular left turns and provide pedestrian refuge
- Screen off street parking from public view
- Encourage development with moderate to shallow setbacks
- Provide sidewalks with wide planting strips and street trees in planting strip
- Provide pedestrian scale lighting
- Provide street furniture at high-volume pedestrian and transit nodes
- Encourage land uses as guided by the Detailed Land Use Policies included in the East Nashville Community Plan.



B. System Regulations

1. Transportation, Parking & Access

Goal: To encourage meaningful transportation options.

Standards:

- 1.1 Vehicular access to lots shall be from joint access points to minimize conflict points.
- 1.2 With all new development, provide cross access for parking.
- 1.3 Provide planted medians to improve pedestrian and vehicular safety, and reduce stormwater impact.
- 1.4 Screen all off-street parking from public view if it must be placed beside or in front of buildings.

2. Streetscape

Goal: To create a streetscape that provides an attractive and safe environment for all users, including pedestrians.

Standards:

- 2.1 Provide sidewalks with wider than the standard minimum planting strips and street trees in planting strip.
- 2.2 Accommodate transit with the addition of bus shelters and other improvements.
- 2.3 Include formal street furniture such as trash receptacles and benches at high volume pedestrian and transit nodes.

- 2.4 Use lighting that serves pedestrians and vehicles.
- 2.5 Locate and/or screen utility boxes from public view whenever possible.

3. Signage

Goal: To assist those who live, work, and shop within the SP area in finding destinations, while preventing visual clutter that threatens traffic safety and is harmful to the appearance of the community.

Standards:

- 3.1 Building-mounted and monument signs; no pole-mounted signs.
- 3.2 No back lit, or internally lit signs.
- 3.3 Construct signs with durable materials that are easy to maintain.

4. Landscaping and Buffering

Goal: To soften the visual impact of new development and provide a greater level of comfort for pedestrians.

Standards:

- 4.1 Screen parking areas where they face a public street to minimize the visual impact of parked vehicles.
- 4.2 Screen utilities, meter boxes, heating and cooling units, and other building systems that are visible from public streets.
- 4.3 Plant street trees to soften architecture



Example of Big Box Retail conforming to appropriate urban design principles.

- and provide shade and comfort to pedestrians.
- 4.4 Fences and walls in front of buildings must be constructed of wood, brick, masonry, vinyl, ornamental iron or aluminum, or similar materials in a manner that compliments the primary building's materials and design and may not exceed a height of four (4) feet. No chain link fencing shall be permitted in front of any building.

C. Building Standards

Subdistrict 3 is intended to promote a boulevardstyle corridor with moderate to shallow setbacks and building scale that reflect the context of the area and to provide for the daily needs of residents by providing pedestrian friendly neighborhood centers in strategic locations.

Building Regulations

These Building Regulations specify the types of development that are generally appropriate throughout Subdistrict 3. Concepts such as "Floor Area Ratio" used in the standard Zoning Code are replaced with height, setback, building placement, and massing requirements. Other specific standards are also included to provide a means of guiding the intensity of development intended within each area. Any new development within Subdistrict 3 must utilize the Building Regulations to determine the appropriate height, physical configuration, and design characteristics of buildings in the subdistrict.

BUILDING REGULATIONS: Subdistrict 3.

· Setbacks.

Commercial-

Front: 5' min.- 10' max. (Additional setbacks may be required to accommodate outdoor dining, adequate pedestrian buffers, and wide sidewalks).

Rear: 20' min.

Side: 0' min. for primary structures. **Side Street:** 0' min. - 15' max; 6' min. for parking along side streets.

Residential-

Front: 10' min.- 15' max.

Rear: 20' min.

Side: 5' min. for primary structures. **Side Street:** 0' min. - 15' max; 6' min. for

parking along side streets.

• Height

- 14' min. - Four Stories max.

Massing and Scale

- A primary pedestrian/ customer entrance shall be located along Gallatin Rd.
Minimum glazing requirement of 35 percent for 1st story, and 25 percent for all other stories. Facades greater than 100 feet in length shall incorporate recesses and

projections a min. of three feet in depth and a min. of 20 contiguous feet within each 100 feet of facade length.

• Streetscape


- Street trees in wide planting strips; street furniture where appropriate.

• Signage

- Building Sign - Projecting; Building Sign - Wall Mounted; Awning Sign; Monument sign, if permitted in paragraph 3.1 of the System Regulations. (See "Signage Standards" for additional signage regulation.)

• Exterior Building Materials

- Not Permitted- All Plastics; Plywood; Unfinished Concrete Blocks; Metal.






Example of residential mixed use building.



Example of four story new construction.



Note: Building regulations are consistant with the general parameters for arterial thoroughfares as outlined in *Context Sensitive Solutions in Designing Major Urban Thoroughfares for Walkable Communities.*

D. Land Uses

Except as specifically excluded herein, the land uses permitted in Subdistrict 3 shall be determined by reference to the zone districts listed in Table 3, below. The land use areas listed in Table 3 are those shown on the Land Use Category Map for Subdistrict 3 that is included in this Specific Plan.

Table 3

Subdistrict 3 Land Use Category	Zone District for Land Use Purposes	
Mixed Use	MUL	
Commercial Mixed Concentration	SCR	
Office	OR20	
Civic or Public Benefit	n/a - all Metro-owned school or library properties	

Excluded Uses

Notwithstanding any other provision in this SP, the following uses are expressly prohibited within the boundaries of Subdistrict 3:

Adult bookstore . Mobile home dwelling
Adult video store . Correctional facility
Heavy equipment sales and service . Carpet cleaning

Laundry plant
Light manufacturing
Major appliance repair
Radio/satellite/TV tower
Satellite dish

· Automobile sales, new · Telephone services

Automobile sales, used
Automobile service
Power plant
Reservoir/water tank

· Automobile repair · Water/sewer pump station

Automobile parking : Racetrack (except as necessary for a land use permitted under this SP) : Cash Advance

· Nonresidential drug treatment facility

· Pawn shops

Temporary labor hall

· Title loan

· Warehouse

· Scrap operation

· Landfill, construction/demolition

· Landfill, sanitary

· Wrecker service

E. Standards not Specifically Included in this Plan

In addition, for any development standards, regulations and requirements not specifically shown on the SP plan and/or included as a condition of Commission or Council approval, the standard Zoning Code requirements of the district listed in Table 3 shall apply in Subdistrict 3.

VII. Signage Standards

The following standards for signage within the Main Street / Gallatin Pike SP have been created to prohibit excessive and confusing sign displays, enhance the appearance of the overall corridor, relate to a pedestrian environment, and encourage signage that will be integrated with and harmonious to future buildings and their surroundings. These standards are regulatory and apply in addition to the specific standards set out for each subdistrict. In the event of a conflict between these general signage regulations and regulations for a specific subdistrict, the subdistrict regulations shall control.

A. <u>General Requirements</u>

- 1. Signs shall be limited to the name of the business and/or insignia. Words describing the specific type of use are also permitted (bakery, market, law office, etc.).
- 2. Prohibited signs include:
 pole-mounted signs, portable
 signs, temporary signs, offsite advertising (including
 additional billboards beyond
 those present as of the
 date of adoption of this SP
 zoning district), signs with
 changeable copy (excluding
 theater marquees and
 gasoline prices), and signs
 with moving parts, flashing/
 moving lights, or video signs.

B. Types of Signs

The following types of signs shall be permitted within the Gallatin Pike SP district:

- 1. Ground Sign Monument
- 2. Building Sign Projecting
- 3. Building Sign Wall Mounted

4. Awning Sign

C. Number of Signs

- 1. Where otherwise permitted by this SP, one monument sign per street frontage is allowed for multi-tenant principal buildings or for single freestanding buildings.
- 2. In addition to the monument signage allowed, each occupant of a multi-tenant building containing up to three tenants may display up to two onpremises building signs.

 Properties with separate freestanding buildings are also allowed up to two on-premises building signs per building.

 Awning signs shall be counted as building signs for means of calculation.

The owner of any property containing more than three tenants or three separate buildings must submit an overall sign program for the property prior to the issuance of any new sign permit. The sign program will be reviewed by the Planning Department and approved by the Executive Director if it is consistent with the overall goals and intent of the SP district and generally consistent with these Signage Standards. The submitted sign program must, at a minimum, comply with the limitations set forth in Chapter 17.32 of the Zoning Code for the zoning district identified in the land use table for each subdistrict. Only the sign for which a building permit is

sought will be required at the time of the permit issuance to bring their signage into compliance with the sign program. All future sign permits for the property will be required to comply with the approved sign program.

D. <u>Location of Signs</u>

- 1. Signs shall be located so as not to obscure key architectural features of the building or door or window openings.
- 2. All monument signs shall have a minimum setback of five feet from any public right-of-way.
- 3. A minimum clearance of eight feet shall be provided for any portion of a building or awning sign.

E. <u>Size of Signs</u>

1. Monument signs shall have a maximum sign area of 48 square feet, and shall not exceed six (6) feet in height or three (3) feet in height if any portion of the sign located within 15 feet of a driveway. If the property is entitled to more than one monument sign under the provisions of this SP, the Planning Director is authorized to approve an increase in the maximum area of one monument sign by up to 50% in exchange for giving up the entitlement to any other monument sign otherwise permitted under this SP, provided the proposed consolidation is consistent with the intent of this ordinance. The height of the enlarged monument sign shall not exceed six (6) feet in height or three (3) feet in height if any portion of the sign located within 15

feet of driveway.


- 2. Projecting building signs shall have a maximum sign area of 12 square feet.
- 3 Wall mounted building signs on building faces located up to 50 feet from the preoprty boundary along the public right of way shall have a maximum sign area of 48 square feet. Building faces located more than 50 feet from the property boundary along the public right of way may add an additional one square foot of sign area for every foot over 50 feet that the building face is located from the street, up to a maximum size of 100 square feet.
- 4. Awning signs shall have a maximum sign area of 50% of the surface area of the awning.

F. <u>Illumination of Signs</u>

Signs that are to be lighted shall be spotlighted, or externally-lit.

G. <u>Exemptions</u>

The items listed in 17.32.040 of the Metro Code are exempt from operation of the provisions contained in this SP, provided the they are not placed or constructed to be in violation of Section 17.20.180, or to create a hazard of any kind through the obstruction of vision by motorists and pedestrians.



East Bank Redevelopment District Land Use Map

LAND USES FROM THE EAST BANK REDEVELOPMENT DISTRICT PLAN C.2.b. Specific Principal and Accessory Uses

(4) Tracts 29-32 and 37

Intent: To redevelop this deteriorated commercial strip by encouraging the establishment of new and viable businesses suitable to a major thoroughfare and adjacent neighborhoods.

<u>Principal Use</u>: Institutional, Commercial/Retail, Office, Residential, Hotel, and Public uses and accessory uses customary thereto.

Conditional Use: Auto repair and service are permitted on main Street where otherwise permitted by the Metropolitan Zoning Ordinance to the extent that the outdoor storage of junked vehicles is avoided or eliminated. Light Manufacturing and Warehousing are permitted on Main Street where otherwise permitted or permitted with conditions by the Metropolitan Zoning Ordinance if it is determined by MDHA that such development will be so designed, located, and operated such that the public health, safety, and welfare will be protected; it will not adversely affect other property in the area with traffic, loading, and unloading, or outdoor storage of materials or equipment; and it will not impede the property development of other parcels of property in accordance with this Plan.

<u>Design Objectives</u>: Development on this block should be carried out in a manner designed to improve the appearance of the streetscape along Main Street between South 5th Street and South 10th Street. Trees and other landscaping, preferably in accordance with a comprehensive streetscape improvement plan, should be encouraged. Outdoor storage of materials or equipment should be screened or buffered from Main Street. New development should not be allowed which obscures or detracts from the view of the State Capitol building from Main Street. Restoration and improvement to the setting of the structure at 931 Main Street which may be worthy of an historic designation is encouraged.

. . . .

(6) Tracts 34-36, 38

Intent: To redevelop this deteriorated commercial strip by encouraging the establishment of new and viable businesses on Main Street frontage and development of less intensity and suitable to adjacent residential areas on the Woodland Street frontage.


Principal Use: Institutional, Commercial/Retail, Office, Residential, Hotel, and Public uses and accessory uses customary thereto. Liquor stores are not permitted on the Woodland Street frontage.

<u>Conditional Use</u>: Parking, Auto repair and service are permitted on Main

Street where otherwise permitted by the Metropolitan Zoning Ordinance to the extent that the outdoor storage of junked vehicles is avoided or eliminated. Auto repair and service uses are not permitted that would front onto Woodland Street or side streets. Light Manufacturing and Warehousing are permitted on Main Street where otherwise permitted or permitted with conditions by the Metropolitan Zoning Ordinance if it is determined by MDHA that such development will be so designed, located, and operated such that the public health, safety, and welfare will be protected; it will not adversely affect other property in the area with traffic, loading and unloading, or outdoor storage of materials or equipment; it will not be designed so as to place heavy truck traffic onto Woodland Street; and it will not impede the property development of other parcels of property in accordance with this Plan.

<u>Design Objectives</u>: Development on this block should be carried out in a matter designed to improve the appearance of the streetscape along Main Street between South 5th Street and South 10th Street. Trees and other landscaping, preferably in accordance with a comprehensive streetscape improvement plan, should be encouraged. Outdoor storage of materials or equipment is discouraged and should be buffered and screened from view. New development should not be allowed which obscures or detracts from the view of the State Capitol building from Main Street. Development on these tracts should not be permitted which would result in the Woodland Street frontage exhibiting characteristics of a back door or back alley. Development

on Woodland Street frontage should reflect its setting in proximity to historic residential areas and not imitate past architectural styles. Development on Woodland Street should be compatible with historic buildings in the selection of materials, size, scale, proportion, height, orientation, color and texture.



Five Points Redevelopment District Land Uses

One and two family residential

Neighborhood Commercial

THIS PAGE INTENTIONALLY LEFT BLANK

Appendix III

Appendix III — Permitted Land Uses for Specific Properties Within the SP

Permitted Land Uses for 3206 Gallatin Pike — Map 072-06, Parcel 239 Enacted by BL2008-198 District 7 (Cole)

In addition to the uses set forth in Table 2 (Page 30), "Vehicular Rental/Leasing" shall be a permitted use for the property located at 3206 Gallatin Pike, being designated as Map 072-06, Parcel 239.



List of MUL Uses Permitted within the SP as of September 7, 2010.

Commercial Uses:

ATM	PC
Automobile Convenience	PC
Automobile Parking (except as	P
necessary for a land use permitted	
under this SP)	
Bar or Nightclub	P
Bed and Breakfast Inn	P
Business Service	P
Car Wash	PC
Custom Assembly	PC
Donation center, drop off	PC
Funeral Home	P
Furniture Store	P
Home Improvement Sales	PC
Hotel/motel	P
Inventory Stock	A
Personal Care Services	P
Restaurant, fast-food	P
Restaurant, full-service	P
Restaurant, take-out	P
Retail	P

Communication Uses:

Amateur Radio Antenna	P
Audio/video Tape Transfer	P
Multi-media production	P
Printing and Publishing	P

Industrial Uses:

Distributive Business/Wholesale	PC

Transportation Uses:

Bus Transfer Station	SE
Commuter Rail	SE

Utility Uses:

Power/Gas Substation	PC
Safety Services	P
Waste Water Treatment	SE
Water Treatment Plant	SE
Wind Energy Facility (small)	PC

Waste Management Uses:

Recycling Collection Center	A

Recreation and Entertainment Uses:

Club	P
Commercial Amusement (inside)	P
Commercial Amusement (outside)	P
Driving Range	PC
Golf Course	P
Greenway	P
Park	P
Recreation Center	P
Rehearsal Hall	P
Temporary Festival	SE
Theater	P

Other Uses:

Pond/	'Lake	P

Permitted = P

Permitted with conditions = PC

Special Exception = SE

Accessory = A

Permitted only within an Overlay District = O

THIS PAGE INTENTIONALLY LEFT BLANK